



>EVOLVE< **SCAME**
Made in Italy

>EVOLVE< by
SCAME
Made in Italy

BRIGHT WHITE WIDE PLATE

25/250

109.7011.W | 1 Module
109.7012.W | 2 Module
109.7013.W | 3 Module
109.7014.W | 4 Module
109.7016.W | 6 Module



ANTRACITE PLATE

25/250

109.9011.A | 1 Module
109.9012.A | 2 Module
109.9013.A | 3 Module
109.9014.A | 4 Module
109.9016.A | 6 Module



BRIGHT WHITE PLATE

25/250

109.9011.W | 1 Module
109.9012.W | 2 Module
109.9013.W | 3 Module
109.9014.W | 4 Module
109.9016.W | 6 Module



COPPER WIDE PLATE

25/250

109.7011.C | 1 Module
109.7012.C | 2 Module
109.7013.C | 3 Module
109.7014.C | 4 Module
109.7016.C | 6 Module



SILVER WIDE PLATE

25/250

109.7011.S | 1 Module
109.7012.S | 2 Module
109.7013.S | 3 Module
109.7014.S | 4 Module
109.7016.S | 6 Module



COPPER PLATE

25/250

109.9011.C | 1 Module
109.9012.C | 2 Module
109.9013.C | 3 Module
109.9014.C | 4 Module
109.9016.C | 6 Module



SILVER PLATE

25/250

109.9011.S | 1 Module
109.9012.S | 2 Module
109.9013.S | 3 Module
109.9014.S | 4 Module
109.9016.S | 6 Module



ANTRACITE WIDE PLATE

25/250

109.7011.A | 1 Module
109.7012.A | 2 Module
109.7013.A | 3 Module
109.7014.A | 4 Module
109.7016.A | 6 Module



BRASS WIDE PLATE

25/250

109.7011.B | 1 Module
109.7012.B | 2 Module
109.7013.B | 3 Module
109.7014.B | 4 Module
109.7016.B | 6 Module



ASH PLATE

25/250


109.9011.XFR | 1 Module
109.9012.XFR | 2 Module
109.9013.XFR | 3 Module
109.9014.XFR | 4 Module
109.9016.XFR | 6 Module



BRASS PLATE

25/250

109.9011.B | 1 Module
109.9012.B | 2 Module
109.9013.B | 3 Module
109.9014.B | 4 Module
109.9016.B | 6 Module



FLUSH MOUNTING SUPPORT

10/200

109.6101 | 1 Module
109.6102 | 2 Module
109.6103 | 3 Module
109.6104 | 4 Module
109.6106 | 6 Module



1G, 10A, 1 WAY SWITCH

24/240

109.6301.W | White
109.6301.A | Anthracite
109.6301.S | Silver
109.6301.B | Brass



BRUSHED GRAPHITE PLATE

25/250

109.9011.XGS | 1 Module
109.9012.XGS | 2 Module
109.9013.XGS | 3 Module
109.9014.XGS | 4 Module
109.9016.XGS | 6 Module



LIGHT BRIAR

25/250

109.9011.XRC | 1 Module
109.9012.XRC | 2 Module
109.9013.XRC | 3 Module
109.9014.XRC | 4 Module
109.9016.XRC | 6 Module



BLANK COVER

24/240

109.6201.W | White
109.6201.A | Anthracite
109.6201.S | Silver
109.6201.B | Brass



PUSH BUTTON DOOR BELL

12/120

109.6204.W | White
109.6204.A | Anthracite
109.6204.S | Silver
109.6204.B | Brass



WENGE PLATE

25/250

109.9011.XWN | 1 Module
109.9012.XWN | 2 Module
109.9013.XWN | 3 Module
109.9014.XWN | 4 Module
109.9016.XWN | 6 Module



FLUSH MOUNTING ENCLOSURE IP55

1/85

136.7023 | 3 Module



CABLE OUTLET

24/240

109.OUTLET.W | White



1G, 10A, 1 WAY SWITCH WITH NEON

24/240

109.6301L.W | White
109.6301L.A | Anthracite
109.6301L.S | Silver
109.6301L.B | Brass



1G, 20A, 1 WAY DP SWITCH

109.6302.W | White
109.6302.A | Anthracite
109.6302.S | Silver
109.6302.B | Brass



24/240

1G, USB SOCKET

109.6891.W | White


\$16.50



24/240

2G, 16A 2P, FRENCH STANDARD SOCKET

109.6410.W | White
109.6410.A | Anthracite
109.6410.S | Silver
109.6410.B | Brass



12/120

1G,10A, 3 WAY SWITCH

109.6311.W | White
109.6311.A | Anthracite
109.6311.S | Silver
109.6311.B | Brass



24/240

1G,10A, 2 WAY SWITCH

109.6321.W | White
109.6321.A | Anthracite
109.6321.S | Silver
109.6321.B | Brass



24/240

2G, 16A 2P+E, FRENCH STANDARD SOCKET

109.6411.W | White
109.6411.A | Anthracite
109.6411.S | Silver
109.6411.B | Brass



12/120

2G, 15A 2P+E, BRITISH STANDARD SOCKET

109.6414.W | White
109.6414.A | Anthracite
109.6414.S | Silver
109.6414.B | Brass



12/120

1G,10A, 2 WAY SWITCH WITH NEON

109.6321L.W | White
109.6321L.A | Anthracite
109.6321L.S | Silver
109.6321L.B | Brass



24/240

1G,10A, PUSH BUTTON

109.6331.W | White
109.6331.A | Anthracite
109.6331.S | Silver
109.6331.B | Brass



24/240

1G, 16/10A 2P, EURO AMERICAN SOCKET

109.6422.W | White
109.6422.A | Anthracite
109.6422.S | Silver
109.6422.B | Brass



24/240

2G, 16A 2P, EURO AMERICAN SOCKET

109.6423.W | White
109.6423.A | Anthracite
109.6423.S | Silver
109.6423.B | Brass



12/120

1G,10A PUSH BUTTON, "BELL"

109.6331B.W | White
109.6331B.A | Anthracite
109.6331B.S | Silver
109.6331B.B | Brass



24/240

1G,10A PUSH BUTTON, "BELL", WITH NEON

109.6331LB.W | White
109.6331LB.A | Anthracite
109.6331LB.S | Silver
109.6331LB.B | Brass



24/240

2G, 16A 2P+E, INTERNATIONAL SOCKET

109.6430.W | White
109.6430.A | Anthracite
109.6430.S | Silver
109.6430.B | Brass



12/120

1G, TV SOCKET

109.6432.W | White
109.6432.A | Anthracite
109.6432.S | Silver
109.6432.B | Brass



24/240

MALE
109.6432.TV | White

1G,10A PUSH BUTTON, "STAIRCASE", WITH NEON

109.6331LS.W | White
109.6331LS.A | Anthracite
109.6331LS.S | Silver
109.6331LS.B | Brass



24/240

1G,16/10A 2P+E, ITALIAN P17/P11 SOCKET

109.6403.W | White
109.6403.A | Anthracite
109.6403.S | Silver
109.6403.B | Brass



24/240

1G, RJ11 SOCKET (PANASONIC TEL)

109.6461.W | White
109.6461.A | Anthracite
109.6461.S | Silver
109.6461.B | Brass



24/240

1G, RJ45 CAT.5 SOCKET

109.6481.W | White
109.6481.A | Anthracite
109.6481.S | Silver
109.6481.B | Brass



24/240

2G,16A 2P+E, GERMAN STANDARD SOCKET

109.6407.W | White
109.6407.A | Anthracite
109.6407.S | Silver
109.6407.B | Brass



12/120

GERMAN SOCKET OUTLET RED

109.6407.R | Red



12/120

1G, RJ45 CAT.6 SOCKET

109.6483.W | White
109.6483.A | Anthracite
109.6483.S | Silver
109.6483.B | Brass



24/240

1G, PILOT LIGHT RED GLASS

109.6543.W | White
109.6543.A | Anthracite
109.6543.S | Silver
109.6543.B | Brass



24/240

2G, STEREO SPEAKER

109.6570.W | White
109.6570.A | Anthracite
109.6570.S | Silver
109.6570.B | Brass



12/120

**CANDLE DRIP COVER E14
H=85MM**

190.CP85A | Ivory
190.CP85B | White



50/300

LAMPHOLDER E27 THREADED

190.6000FG | Black
190.6000FGB | White



50/300

**2G, 10A SP SWITCH FOR
ROLLING SHUTTERS**

109.63312.W | White
109.63312.A | Anthracite
109.63312.S | Silver
109.63312.B | Brass



12/120

**2G, 800W 220V, 1W DIMMER
SWITCH**

109.6808.W | White
109.6808.A | Anthracite
109.6808.S | Silver
109.6808.B | Brass



12/120

**CANDLE LAMPHOLDER E14
H=85MM NIPPLE SCREW**

190.3585S



50/500

**LAMPHOLDER E14 PLASTIC
THREAD**


190.2000FCG | Black
190.2000FCGB | White



100/600

**1G, 10A SP SWITCH FOR
ROLLING SHUTTERS**

109.63331.W | White



24/240

NEON LAMP 220V

109.6200 | 1/100



METAL CLAWS FOR ROUND BOX

109.6100 | 10/200



LAMPHOLDER E27

190.6000LG | Black
190.6000LGB | White



50/300

SHADE RING E14 OR E27

190.31 | E14 Black
190.31B | E14 White
190.71 | E27 Black
190.71B | E27 White



50/500

**LAMPHOLDER E27 HALF
THREAD**

190.6000FCG | Black
190.6000FCGB | White



50/300

LAMPHOLDER E14 F/S CL

190.2000LG | Black
190.2000LGB | White



100/600

2G, 10A, 1 WAY SP SWITCH

109.6601.W | White
109.6601.A | Anthracite
109.6601.S | Silver
109.6601.B | Brass



12/120

**2G, 10A, 1 WAY SP SWITCH
WITH NEON**

109.6601L.W | White
109.6601L.A | Anthracite
109.6601L.S | Silver
109.6601L.B | Brass



12/120

LAMPHOLDER E14 THREADED

190.2000FG | Black
190.2000FGB | White



100/600

**SURFACE MOUNTING
LAMPHOLDER E27**

190.100



10/100

**2G, 10A PUSH BUTTON,
"STAIRCASE", WITH NEON**

109.6631LS.W | White
109.6631LS.A | Anthracite
109.6631LS.S | Silver
109.6631LS.B | Brass




24/240

MODULAR FLOOR BOX

139.2000 | 2 Sections Box
139.5500 | 3 Sections Box



139.6008 | Flange 8 Mod
139.3012 | Flange 12 Mod



CYLINDRICAL CEILING ROSE

190.363B | White



50/500

CONICAL CEILING ROSE

190.366B | White



5/50

SURFACE MOUNTING ENCLOSURE IP40

136.6122 | 2 Module 5/100
136.6123 | 3 Module 3/60
136.6124 | 4 Module 1/24



**SURFACE MOUNTING ENCLOSURE
IP55**

136.7122 | 2 Module 5/80
136.7123 | 3 Module 3/60
136.7124 | 4 Module 1/24



SPHERICAL CEILING ROSE

190.376B | White



50/250

AZZURA PLUG 2P 10A



104.4000/N | Black
104.4000 | White



UNEL SOCKET 2P+E 16A



130.2083 | White



90° ANGLED COAXIAL CABLE PLUG 9.5 WHITE



180.58/CEI



TV CABLE REEL TRIS SERIES 15 METERS



707.2115



AZZURA SOCKET 2P 10A



104.4010/N | Black
104.4010 | White



90° ANGLED UNEL PLUG 2P+E 16A



130.83 | White



METAL PLUG PINCER FOR RJ PLUGS



180.798



SATELLITE TV PLUG 5.2 MM



180.4521



UNEL PLUG 2P+E 16A



130.2063 | White



ADAPTER 10A

146.554/3 | White



USB ADAPTER 250V 1500W

146.510.ST | White



RJ PLUG COUPLER

180.794 | 6/4
180.795 | 6/6



RJ SPLITTER

180.796 | 6/4
180.799 | 6/6



SLIDING SWITCH



195.450B | White
195.450N | Black



ANGLED PLUG 2P + E 10A



116.68/N | Black
116.68 | White



ADAPTER 13A BRITISH



145.320 | White



ADDITIONAL TERMINAL BLOCK EARTH/NEUTRAL



654.0360



TERMINAL BLOCK 8 DIN FLUSH MOUNTING 8 DIN SURFACE MOUNTING



654.0361



SOCKET 2P + E 16A



105.288/N | Black



UNEL SOCKET 2P+E 10A



105.293



TERMINAL BLOCK 12 TO 54 DIN FLUSH MOUNTING 12-24 DIN SURFACE MOUNTING



654.0362





TERMINAL BLOCK 18-36-54 DIN SURFACE MOUNTING



654.0364





ACCESSORIES

654.0020 | Bracket  4/40
654.0400 | Blank Cover  1/25





SURFACE MOUNTING CONSUMER UNIT

673.2008B | 8 Din  1/12
673.2012B | 12 Din  1/7



FLUSH MOUNTING CONSUMER UNIT 8 DIN MODULE

675.2008B  1/10




FLUSH MOUNTING CONSUMER UNIT 12 DIN MODULE

675.2012B  1/7




SURFACE MOUNTING CONSUMER UNIT 18 DIN MODULE

673.2018B  1/6



FLUSH MOUNTING CONSUMER UNIT 18 DIN MODULE

675.2018B  1/7



SURFACE MOUNTING CONSUMER UNIT 24 DIN MODULE

673.4024B  1/5




FLUSH MOUNTING CONSUMER UNIT 24 DIN MODULE

675.4024B  1/5




SURFACE MOUNTING CONSUMER UNIT 36 DIN MODULE

673.4036B  1/4




FLUSH MOUNTING CONSUMER UNIT 36 DIN MODULE

675.4036B  1/3



SURFACE MOUNTING CONSUMER UNIT 54 DIN MODULE

673.5054B  1/2



FLUSH MOUNTING CONSUMER UNIT 54 DIN MODULE

675.5054B  1/2




SURFACE MOUNTING CONSUMER UNIT 4 DIN MODULE IP40

673.2104B  1/24










SURFACE MOUNTING CONSUMER UNIT 8 DIN MODULE IP40

673.2108B  1/6




ACCESSORIES

654.0030 | Sealing Kit 
654.0041 | Flush Conn. 12/24 
654.0042 | Flush Conn. 18/36/54 
654.0043 | Surf. Conn. 12/24 
654.0044 | Surf. Conn. 18/36/54 
654.0045 | Flush Conn. 
654.0038 | PG21 Conn. 



SURFACE MOUNTING CONSUMER UNIT 2 DIN MODULE IP66

672.2002  1/24



SURFACE MOUNTING CONSUMER UNIT 4 DIN MODULE IP66

672.2004  1/16




SURFACE MOUNTING CONSUMER UNIT 8 DIN MODULE IP66

672.2008  1/10




SURFACE MOUNTING CONSUMER UNIT 12 DIN MODULE IP66

672.2012  1/9



SURFACE MOUNTING CONSUMER UNIT 16 DIN MODULE IP66

672.2016  1/6




SURFACE MOUNTING CONSUMER UNIT 24 DIN MODULE IP66

672.4024  1/6




SURFACE MOUNTING CONSUMER UNIT 32 DIN MODULE IP66

672.4032  1/4




SURFACE MOUNTING CONSUMER UNIT 48 DIN MODULE IP66

672.5048  1/3



SURFACE MOUNTING CONSUMER UNIT 64 DIN MODULE IP66

672.7064  1



685.004 | Scabox with cable sleeves IP55 100x100x50 screw down cover
 685.006 | Scabox with cable sleeves IP55 150x110x70 screw down cover
 685.007 | Scabox with cable sleeves IP55 190x140x70 screw down cover
 685.008 | Scabox with cable sleeves IP55 240x190x90 screw down cover
 685.009 | Scabox with cable sleeves IP55 300x220x120 screw down cover
 685.010 | Scabox with cable sleeves IP55 380x300x120 screw down cover
 685.011 | Scabox with cable sleeves IP55 460x380x130 screw down cover
 654.021 | Wall Mounting Bracket 654.023 | Wall Mounting Bracket




686.204 | Scabox with blank sides IP56 100x100x50 screw down cover
 686.205 | Scabox with blank sides IP56 120x80x50 screw down cover
 686.206 | Scabox with blank sides IP56 150x110x70 screw down cover
 686.207 | Scabox with blank sides IP56 190x140x70 screw down cover
 686.208 | Scabox with blank sides IP56 240x190x90 screw down cover
 686.209 | Scabox with blank sides IP56 300x220x120 screw down cover
 686.210 | Scabox with blank sides IP56 380x300x120 screw down cover
 686.211 | Scabox with blank sides IP56 452x320x130 screw down cover



875.4410 | Flush mounting junction box 92x92x45 screw down cover
 875.4411 | Flush mounting junction box 118x96x50 screw down cover
 875.4412 | Flush mounting junction box 153x98x70 screw down cover
 875.4413 | Flush mounting junction box 160x130x70 screw down cover
 875.4414 | Flush mounting junction box 196x152x70 screw down cover
 875.4415 | Flush mounting junction box 294x152x70 screw down cover
 875.4416 | Flush mounting junction box 392x152x70 screw down cover
 875.4417 | Flush mounting junction box 480x160x70 screw down cover
 875.4490 | Separator for flush mounting junction box



639.1040 | Beebox empty enclosure 200x150x40
 639.1060 | Beebox empty enclosure 200x150x60
 639.1080 | Beebox empty enclosure 200x150x80
 639.2040 | Beebox empty enclosure 200x300x40
 639.2060 | Beebox empty enclosure 200x300x60
 639.2080 | Beebox empty enclosure 200x300x80
 639.2120 | Beebox empty enclosure 200x300x120
 639.4060 | Beebox empty enclosure 400x300x60
 639.4080 | Beebox empty enclosure 400x300x80
 639.4120 | Beebox empty enclosure 400x300x120



653.00 | ALUBOX Aluminium Junction Box 100x100x59 IP 66
 653.01 | ALUBOX Aluminium Junction Box 140x115x60 IP 66
 653.02 | ALUBOX Aluminium Junction Box 166x142x64 IP 66
 653.03 | ALUBOX Aluminium Junction Box 192x168x80 IP 66
 653.04 | ALUBOX Aluminium Junction Box 253x217x93 IP 66
 653.05 | ALUBOX Aluminium Junction Box 314x264x122 IP 66
 653.07 | ALUBOX Aluminium Junction Box 410x315x150 IP 66



SCABOX WITH CABLE SLEEVES IP44

680.003 | 80x40



SCABOX WITH CABLE SLEEVES IP44

680.001 | 65x40

SCABOX WITH CABLE SLEEVES IP44

680.002 | 80x90



MINITRUNKING

876.6020 | White 60x20
 876.4015 | White 40x15



FLOOR TRUNKING

879.0007 | 70mm white
 879.0007G | 70mm grey



805.3340 | Cable Gland PG7 IP66
 805.3341 | Cable Gland PG9 IP66
 805.3342 | Cable Gland PG11 IP66
 805.3343 | Cable Gland PG13.5 IP66
 805.3344 | Cable Gland PG16 IP66
 805.3345 | Cable Gland PG21 IP66
 805.3346 | Cable Gland PG29 IP66
 805.3347 | Cable Gland PG36 IP66
 805.3348 | Cable Gland PG42 IP66
 805.3349 | Cable Gland PG48 IP66
 805.5450 | Cable Gland M50x1.5 IP66

805.3352 | Cable Gland PG11 Heavy Duty
 805.3354 | Cable Gland PG16 Heavy Duty
 805.3356 | Cable Gland PG29 Heavy Duty
 805.5416 | Cable Gland M16X1.5 Light
 805.5425 | Cable Gland M25x1.5 Light
 805.5432 | Cable Gland M32x1.5 Light
 805.5463 | Cable Gland M63x1.5 Light



DOMESTIC CABLE REEL

709.3910 | 10m



PORTABLE LAMP E27 IP20

770.208 | 10m



GROUNDING FOUR SOCKET OUTLET

161.241 | Cordless 1/30
 161.241/D2 | 2m cord 1/20
 Ø1.5mm



GROUNDING SIX SOCKET OUTLET

161.251 | Cordless 1/30
 161.251/D2 | 2m cord 1/20
 Ø1.5mm



GROUNDING FOUR SOCKET OUTLET

161.242 | Cordless with switch 1/30
 161.242/D2 | With switch & 2m cord 1/20
 Ø1.5mm



GROUNDING SIX SOCKET OUTLET

161.252 | Cordless with switch 1/30
 161.252/D2 | Switch & 2m cord 1/20
 Ø1.5mm



RUBBER PLUG 2P+E 16A

110.3100 | Schuko



10/150

FLUSH MOUNTING SCHUKO SOCKET 16A IP 54

570.4061 | 2P+E
70x87mm
570.2061 | 2P+E
50x60mm



10/100

SURFACE MOUNTING SOCKET OUTLET IP44 & SCHUKO 16A

513.1653-DN | 2P+E
513.1656-DN | 3P+E
513.1657-DN | 3P+E+N



1/10

PLUGS - IP44*

213.1633 | Optima plug 2P+E 16A IP44 blue
213.1636 | Optima plug 3P+E 16A IP44 red
213.1637 | Optima plug 3P+N+E 16A IP44 red
213.3233 | Optima plug 2P+E 32A IP44 blue
213.3236 | Optima plug 3P+E 32A IP44 red
213.3237 | Optima plug 3P+N+E 32A IP44 red



*Available in BLACK, add .K to code

CONNECTORS - IP44*

313.1643 | Optima connector 2P+E 16A IP44 blue
313.1646 | Optima connector 3P+E 16A IP44 red
313.1647 | Optima connector 3P+N+E 16A IP44 red
313.3243 | Optima connector 2P+E 32A IP44 blue
313.3246 | Optima connector 3P+E 32A IP44 red
313.3247 | Optima connector 3P+N+E 32A IP44 red



*Available in BLACK, add .K to code

PLUGS - IP66*

218.1633 | Optima plug 2P+E 16A IP66 blue
218.1636 | Optima plug 3P+E 16A IP66 red
218.1637 | Optima plug 3P+N+E 16A IP66 red
218.3233 | Optima plug 2P+E 32A IP66 blue
218.3236 | Optima plug 3P+E 32A IP66 red
218.3237 | Optima plug 3P+N+E 32A IP66 red
218.6333 | Optima plug 2P+E 63A IP66 blue
218.6336 | Optima plug 3P+E 63A IP66 red
218.6337 | Optima plug 3P+N+E 63A IP66 red
218.12533 | Optima plug 2P+E 125A IP66 red
218.12536 | Optima plug 3P+E 125A IP66 red
218.12537 | Optima plug 3P+N+E 125A IP66 red



*Available in BLACK, add .K to code

CONNECTORS - IP66*

318.1643 | Optima connector 2P+E 16A IP66 blue
318.1646 | Optima connector 3P+E 16A IP66 red
318.1647 | Optima connector 3P+N+E 16A IP66 red
318.3243 | Optima connector 2P+E 32A IP66 blue
318.3246 | Optima connector 3P+E 32A IP66 red
318.3247 | Optima connector 3P+N+E 32A IP66 red
318.6343 | Optima connector 2P+E 63A IP66 blue
318.6346 | Optima connector 3P+E 63A IP66 red
318.6347 | Optima connector 3P+N+E 63A IP66 red
318.12543 | Optima connector 2P+E 125A IP66 blue
318.12546 | Optima connector 3P+E 125A IP66 red
318.12547 | Optima connector 3P+N+E 125A IP66 red



*Available in BLACK, add .K to code

RUBBER SOCKET WITH COVER

110.3160 | Schuko



10/150

FLUSH MOUNTING FRENCH SOCKET

570.4091 | Flange
70x87mm
570.4081 | Flange
70x87mm



10/100

FLUSH MOUNTING ITALIAN SOCKET 16A IP 54

570.2071 | Flange
50x60mm



10/100

SURFACE MOUNTING ANGLED SOCKET OUTLET IP44

513.1653 | Optima surf M socket angled box 2P+E 16A IP44 blue
513.1656 | Optima surf M socket angled box 3P+E 16A IP44 red
513.1657 | Optima surf M socket angled box 3P+N+E 16A IP44 red
513.3253 | Optima surf M socket angled box 2P+E 32A IP44 blue
513.3256 | Optima surf M socket angled box 3P+E 32A IP44 red
513.3257 | Optima surf M socket angled box 3P+N+E 32A IP44 red



10/40

SURFACE MOUNTING STRAIGHT SOCKET OUTLET IP44

522.1653 | Eureka surf M socket straight box 2P+E 16A IP44 blue
522.1656 | Eureka surf M socket straight box 3P+E 16A IP44 red
522.1657 | Eureka surf M socket straight box 3P+N+E 16A IP44 red
522.3253 | Eureka surf M socket straight box 2P+E 32A IP44 blue
522.3256 | Eureka surf M socket straight box 3P+E 32A IP44 red
522.3257 | Eureka surf M socket straight box 3P+N+E 32A IP44 red

**FLUSH MOUNTING STRAIGHT SOCKET OUTLET IP44***

412.1663 | Optima flush M socket angled 2P+E 16A IP44 blue
413.1666 | Optima flush M socket angled 3P+E 16A IP44 red
413.1667 | Optima flush M socket angled 3P+N+E 16A IP44 red
413.3263 | Optima flush M socket angled 2P+E 32A IP44 blue
413.3266 | Optima flush M socket angled 3P+E 32A IP44 red
413.3267 | Optima flush M socket angled 3P+N+E 32A IP44 red



10/50

*Available in BLACK, add .K to code

FLUSH MOUNTING STRAIGHT SOCKET OUTLET (75x75) IP44

422.1663 | 2P+E 16A IP44 blue
422.1664 | 3P+E 16A IP44 blue
422.1665 | 3P+N+E 16A IP44 blue



10/100

SURFACE MOUNTING EMPTY BOX

570.0032 | 80x106mm 10/80
Angled
570.0132 | 84x106mm 1/10

**FLUSH MOUNTING ANGLED SOCKET OUTLET IP66***

417.1663 | Eureka flush M socket angled 2P+E 16A IP44 blue
417.1666 | Eureka flush M socket angled 3P+E 16A IP44 red
417.1667 | Eureka flush M socket angled 3P+N+E 16A IP44 red
417.3263 | Eureka flush M socket angled 2P+E 32A IP44 blue
417.3266 | Eureka flush M socket angled 3P+E 32A IP44 red
417.3267 | Eureka flush M socket angled 3P+N+E 32A IP44 red



*Available in BLACK, add .K to code

FLUSH MOUNTING APPLIANCE INLETS IP44 & IP67*

243.1693 | Optima flush M inlet 2P+E 16A IP44 blue
243.1696 | Optima flush M inlet 3P+E 16A IP44 red
243.1697 | Optima flush M inlet 3P+N+E 16A IP44 red
248.1693 | Optima flush M inlet 2P+E 16A IP67 blue
248.1696 | Optima flush M inlet 3P+E 16A IP67 red
248.1697 | Optima flush M inlet 3P+N+E 16A IP67 red



*Available in BLACK, add .K to code

PLUGS WITH PHASE INVERTER IP44

213.1636RV | Optima plug with phase inverter 3P+E 16A IP44 red
213.1637RV | Optima plug with phase inverter 3P+N+E 16A IP44 red
213.3236RV | Optima plug with phase inverter 3P+E 32A IP44 red
213.3237RV | Optima plug with phase inverter 3P+N+E 32A IP44 red

**PLUG 16A 20-25V AC**

230.1600 | 2P IP44 50Hz 60Hz purple



10/100

EMPTY SURFACE MOUNTING ENCLOSURE IP66

672.1301

Suitable for 70x87 Flange



2x 70x87 Sockets



EMPTY SURFACE MOUNTING ENCLOSURE IP66

632.3501-000

Suitable for 70x87 Flange



4x 84x106 Sockets

SURFACE MOUNTING ENCLOSURE FOR EUREKA & 16 DIN IP66

672.4316

Suitable for 70x87 Flange



3x 70x87 Sockets



SURFACE MOUNTING ENCLOSURE FOR EUREKA & 10 DIN IP66

632.4500-000

Suitable for 70x87 Flange



2x 70x87 Sockets
2x 84x106 Sockets

SURFACE MOUNTING ENCLOSURE FOR EUREKA & 6 DIN IP66

632.3500-000

Suitable for 70x87 Flange



2x 70x87 Sockets
1x 84x106 Sockets

SURFACE MOUNTING ENCLOSURE 5(2+3) SOCKETS & 10 DIN IP66

632.4520-000

Suitable for 70x87 Flange



3x 50x60 Sockets
2x 84x106 Sockets

SURFACE MOUNTING ENCLOSURE WITH SOCKETS 4(2+2) & 6 DIN IP66

632.3520-000

Suitable for 70x87 Flange



2x 50x60 Sockets
1x 84x106 Sockets
1x 70x87 Sockets

SURFACE MOUNTING ENCLOSURE FOR 6 SOCKETS IP66

672.5616

Suitable for 70x87 Flange



6x 70x87 Sockets



MBOX DISTRIBUTION ASSEMBLY IP66

657.6036-037



RUBBER DISTRIBUTION ASSEMBLY WITH 4 OUTLETS IP44

690.4200-301



2 WAY EUREKA ADAPTER WITH CABLE & PLUG IP44

604.1629/c



5-WAY EUREKA ADAPTER WITH CABLE & PLUG IP44

602.5005-360



3-WAY EUREKA ADAPTER WITH CABLE & PLUG IP44

602.3005-059



ADAPTER FROM 2P+E TO 16A SCHUKO

610.373



590.EM1606 | Isolator 16A 6P IP65

590.EL2012 | Isolator 20A 2P IP65

590.EL2013 | Isolator 20A 3P IP65

590.EL2015 | Isolator 20A 4P IP65

590.EM3212 | Isolator 32A 2P IP65

590.EM3213 | Isolator 32A 3P IP65

590.EL3215 | Isolator 32A 4P IP65

590.EL4012 | Isolator 40A 2P IP65

590.EM4013 | Isolator 40A 3P IP65

590.EL4015 | Isolator 40A 4P IP65

590.EL6303 | Isolator 63A 3P IP65

590.EL6305 | Isolator 63A 4P IP65

590.EM8003 | Isolator 80A 3P IP65

590.EM8004 | Isolator 80A 4P IP65

590.EM10003 | Isolator 100A 3P IP65

590.EM10004 | Isolator 100A 4P IP65

590.EM12503 | Isolator 125A 3P IP55

590.EM12505 | Isolator 125A 4P IP55

590.EM16003 | Isolator 160A 3P IP55

590.EM16005 | Isolator 160A 4P IP55

590.YA635B-C | Change over switch 63A 3P+N

590.YA805B-C | Change over switch 85A 3P+N

590.YA1005B-C | Change over switch 100A 3P+N

590.YA1255B-C | Change over switch 125A 3P+N

590.YA1605B-C | Change over switch 160A 3P+N



- 590.HEM2002 | Aluminum Isolator 20A 2P IP65
- 590.HEM2003 | Aluminum Isolator 20A 3P IP65
- 590.HEM2005 | Aluminum Isolator 20A 3P+N IP65
- 590.HEM3202 | Aluminum Isolator 32A 2P IP65
- 590.HEM3203 | Aluminum Isolator 32A 3P IP65
- 590.HEM3205 | Aluminum Isolator 32A 3P+N IP65
- 590.HEM4002 | Aluminum Isolator 40A 2P IP65
- 590.HEM4003 | Aluminum Isolator 40A 3P IP65
- 590.HEM4005 | Aluminum Isolator 40A 3P+N IP65
- 590.HEM6303 | Aluminum Isolator 63A 3P IP65
- 590.HEM6305 | Aluminum Isolator 63A 3P+N IP65
- 590.HEM8003 | Aluminum Isolator 80A 3P IP65
- 590.HEM8005 | Aluminum Isolator 80A 3P+N IP65
- 590.HEM10003 | Aluminum Isolator 100A 3P IP65
- 590.HEM10005 | Aluminum Isolator 100A 3P+N IP65
- 590.HEM12503 | Aluminum Isolator 125A 3P IP65
- 590.HEM12505 | Aluminum Isolator 125A 3P+N IP65
- 590.HEM16003 | Aluminum Isolator 160A 3P IP65
- 590.HEM16005 | Aluminum Isolator 160A 3P+N IP65
- 590.KGE20005 | Metal Isolator 200A 3P+N+E IP55
- 590.KGE25005 | Metal Isolator 250A 3P+N+E IP55
- 590.KGE31505 | Metal Isolator 315A 3P+N+E IP55
- 590.KGE40005 | Metal Isolator 400A 3P+N+E IP55
- 590.KGE50005 | Metal Isolator 500A 3P+N+E IP55
- 590.KGE63005 | Metal Isolator 630A 3P+N+E IP55
- 590.EM80005 | Metal Isolator 800A 3P+N+E IP55
- 590.EM10005 | Metal Isolator 1000A 3P+N+E IP55
- 590.EM125005 | Metal Isolator 1250A 3P+N+E IP55
- 590.EM160005 | Metal Isolator 1600A 3P+N+E IP55



PROTECTA Series

IP66 weatherproof switches & sockets

SURFACE MOUNTING 1 GANG SWITCH IP66



- 137.5011 | 10AX one way
- 137.5012 | 20AX one way
- 137.5211 | 10AX two way
- 137.5212 | 20AX two way
- 137.5462 | 20A double pole



SURFACE MOUNTING 2 GANG SWITCH IP66



- 137.5021 | 10AX one way
- 137.5022 | 20AX one way
- 137.5221 | 10AX two way
- 137.5222 | 20AX two way



PUSH SWITCH 1 GANG IP66 MARKED "PRESS"



137.5311P



FLUSH MOUNTING ENCLOSURE 1 GANG IP66



137.001



FLUSH MOUNTING ENCLOSURE 2 GANG IP66

137.002

FLUSH MOUNTING 1 GANG



137.121



FLUSH MOUNTING 2 GANG

137.122



SURFACE MOUNTING 1 GANG



137.101



SURFACE MOUNTING 2 GANG


137.102



ENCLOSURE FOR POLE MOUNTING-SIDE



137.141



ENCLOSURE FOR POLE MOUNTING-TOP

137.131



COVER FLANGE FOR INDUSTRIAL SOCKET 16A



137.151



ADAPTOR FOR FLUSH-MOUNTING BOX

137.125



LED SERIES PROTECTA



137.200



GEL GASKET PROTECTA SERIES



137.202



FLUSH MOUNTING BOX 3 MODULE



875.4303



TERMINAL STRIPS

- 815.2361 | 2.5mm T85 Black
- 815.2362 | 4mm T85 Black
- 815.23625 | 6mm T85 Black
- 815.2363 | 10mm T85 Black



TERMINAL STRIPS

- 815.2364 | 16mm T85 Black
- 815.2365 | 25mm T85 Black
- 815.2366 | 35mm T85 Black



**EMPTY CONTROL STATION
1 HOLE IP65**



590.PRO01K



**EMPTY CONTROL STATION
2 HOLE IP65**



590.PRO02K



SURFACE MOUNTING BOX



103.101 | 35mm depth
103.103 | 25mm depth
103.104 | 17mm depth



**SURFACE MOUNTING BOX 2 GANG
35MM DEPTH**



103.102



**EMPTY CONTROL STATION
2 HOLE IP65**



590.PRO03K



1 PUSH BUTTON PANEL IP65



590.PRO01RN8



2 GANG SWITCH



103.3021 | 10AX one way
103.3221 | 10AX two way



1 GANG SWITCH



103.3011 | 10AX one way
103.3211 | 10AX two way
103.3212 | 20AX two way



2 PUSH BUTTON PANEL IP65



590.PRO02A



**2 PUSH BUTTON & 1 LAMP
INDICATOR IP65**



590.PRO03A



4 GANG SWITCH



103.3041 | 10AX one way
103.3241 | 10AX two way



3 GANG SWITCH



103.3031 | 10AX one way
103.3231 | 10AX two way



6 GANG SWITCH



103.3061 | 10AX one way



MEGA ROCKER



103.6011 | 10AX Switch
103.6311B | 10AX Push
switch with bell symbol



10A BELL PUSH SWITCH



103.3311B



**10A PUSH SWITCH MARKED
"PRESS"**



103.3311P



**EMERGENCY TWIST RELEASE 1
BUTTON PANEL IP65**



590.PRO01R4N



**MUSHROOM-HEAD EMERGENCY
PUSH BUTTON**



590.PPFN1R4N



**20A D.P SWITCH WITH NEON
MARKED "WATER HEATER"**



103.3462W



20A CABLE OUTLET- 1 GANG



103.2032



FLUSH PUSH BUTTON



590.PPRN1 | Red
590.PPRN2 | Green
590.PPRN8 | Black
590.PPRN5 | White



BLACK HOLDER FOR LABEL



590.PPTN8



EURO AMERICAN SOCKET



103.422 | Double socket
103.421 | Single socket
103.4007 | Schuko socket



EURO AMERICAN SOCKET



103.423 | Switch socket
103.424 | 10AX light
switch



KEY SELECTORS



590.PSCR8D0C | 2
steady positions
590.PSCN8T0C | 3
steady positions



AUXILIARY CONTACT



509.PL004001 | NC contact Red
509.PL004002 | NO contact Green
509.PL004007 | Power supply
unit for pilot lamp



103.527 | 2xRJ45 (CAT5)
103.528 | 2xRJ45 (CAT6)
103.531 | RJ11+RJ45 (CAT5)
103.532 | RJ11+RJ45 (CAT6)
103.521 | RJ11 Telephone
103.523 | RJ45 (CAT5)
103.524 | RJ45 (CAT6)



ENERGY SAVING KEY CARD SWITCH



103.300



SATELLITE SINGLE OUTLET



103.435



**DIMMER CONTROL SWITCH
1000 WATT**



103.811

